JOURNAL

OF

PALEONTOLOGY

VOLUME 48

R. F. LUNDIN W. L. FRY, W. A. CLEMENS, JR.

S. S. BEUS J. W. DURHAM, J. H. PECK, JR.

EDITORS

PUBLISHED AT TULSA, OKLAHOMA

BY

THE SOCIETY OF ECONOMIC PALEONTOLOGISTS

AND MINERALOGISTS

AND BY

THE PALEONTOLOGICAL SOCIETY

Volume 48 of THE JOURNAL OF PALEONTOLOGY
was mailed on the following dates:

No. 1—February 9, 1974

No. 2—April 18, 1974

No. 3—June 20, 1974

No. 4—August 12, 1974

No. 5—October 30, 1974

No. 6—November 29, 1974

JOURNAL OF PALEONTOLOLOGY

INDEX TO VOLUME 48

AUTHOR INDEX

		No.	Page
1.	ADDICOTT, W. O., Giant pectinids of the eastern North Pacific margin: Significance in Neogene zoogeography and chronostratigraphy	1	180
2.	ALEXANDER, R. R., Morphologic adaptations of the bivalve *Anadara* from the Pliocene of the Kettleman Hills, California	4	633
3.	ALPERT, S. P., Systematic review of the genus *Skolithos*	4	661
4.	ANDREWS, H. E., Morphometrics and functional morphology of *Turritella mortoni*	6	1127
	ANSTEY, R. L., see DELMET, D. A. (34)		
5.	ANSTEY, R. L. and T. L. CHASE, Geographic diversity of Late Ordovician corals and bryozoans in North America	6	1141
	AUSTIN, R. L., see DRUCE, E. C. (42)		
	BAESEMANN, J. F., see TOOMEY, D. F. (139)		
6.	BANNER, F. T., Stratigraphical problems of the Miocene in Europe, by Ivan Cicha (translated by Helena Zarubova) (review)	3	611
7.	BARDACK, D., A larval fish from the Pennsylvanian of Illinois	5	989
8.	BARNETT, R. S., An application of numerical taxonomy to the classification of the Nummulitidae (Foraminiferida)	6	1249
9.	BATTEN, R. L., *Naticopsis* (*Naticopsis*) *gracilis* Batten, 1966, a homonym (taxonomic note)	3	610
10.	BAUM, K. A., and R. LUND, Vertebral centra in *Haplolepis* (Haplolepidae, Paleonisciformes) from the Allegheny Group, Pennsylvanian (paleontological note)	1	199
11.	BERGSTROM, S. M., J. B. CARNES, R. L. ETHINGTON, R. B. VOTAW, and P. B. WIGLEY, *Applachignathus*, a new multielement conodont genus from the Middle Ordovician of North America	2	227
12.	BERNARD, F. R., Sea shells of Tropical West America; Marine Mollusks from Baja California to Peru, 2nd edition, by A. Myra Keen with assistance of James H. McLean (review)	1	202
13.	BIRKHEAD, P. K. and G. H. FRAUNFELTER, Some Middle Devonian Stromatoporoids from southern Illinois and southeastern Missouri: correction (paleontological note)	2	414
14.	BOLT, J. R., Armor of dissorophids (Amphibia: Labyrinthodontia): an examination of its taxonomic use and report of a new occurrence	1	135
15.	BOLT, J. R., Evolution and functional interpretation of some suture patterns in Paleozoic labyrinthodont amphibians and other lower tetrapods	3	434
16.	BOUCOT, A. J. and K. K. CHIANG, Two new Lower Silurian virgianinid (Family Pentameridae) branchiopods from the Nonda Formation, northern British Columbia	1	63
	BOUCOT, A. J., see ROHR, D. M. (111)		
	BOUCOT, A. J., see WALMSLEY, V. G. (taxonomic note) (147)		
17.	BOWEN, Z. P., Correlation of the North American Silurian rocks, edited by W. B. N. Berry and A. J. Boucot (review)	4	861
	BOWEN, Z. P., Correlation of the South American Silurian rocks, edited by W. B. N. Berry and A. J. Boucot (review)		
	BOWEN, Z. P., Correlation of the Southeast Asian and Near Eastern Silurian rocks, edited by W. B. N. Berry and A. J. Boucot (review)		
18.	BRADLEY, W. H., *Oocardium* Tufa from the Eocene Green River Formation of Wyoming (paleontological note)	6	1289
19.	BROADHEAD, T. W., Reevaluation of the morphology of *Amecystis laevis* (Raymond)	4	670
20.	BUTLER, E. A., SEPM 49th annual meeting, Dallas, Texas, April 7–9, 1975 (society records and activities)	6	1298
	CARNES, J. B., see BERGSTROM, S. M. (11)		
21.	CARTER, J. L., New genera of spiriferid and brachythyridid brachiopods	4	674
	CHASE, T. L., see ANSTEY, R. L. (5)		
	CHIANG, K. K., see BOUCOT, A. J. (16)		
22.	CHRISTOPHER, R. A. and J. A. WATERS, Fourier series as a quantitative descriptor of microspore shape	4	697
	CHURKIN, M., JR., see TCHUDINOVA, I. I. (131)		

23. Clark, D. L., Factors of Early Permian conodont paleoecology in Nevada 4 710
Clark, D. L., see Peterson, D. O. (102)
24. Clark, D. L., Tribute to Raymond L. Ethington, retiring co-editor, Journal of Paleontology (society records and activities) 4 868
25. Clemens, W. A. and M. Plane, Mid-Tertiary Thylacoleonidae (Marsupialia, Mammalia) 4 652
26. Cobban, W. A., Cenomanian Ammonites from Southern England, by W. J. Kennedy (review) 6 1296
27. Cocks, L. R. M., Shell structure of the Craniacea and other Calcareous Inarticulate Brachiopoda, by Alwyn Williams and Anthony D. Wright (review) .. 2 419
28. Cooper, B. J., New forms of *Belodella* (Conodonta) from the Silurian of Australia 6 1120
29. Cornell, W. C., Silicoflagellates as palaeoenvironmental indicators in the Modelo Formation (Miocene), California 5 1018
30. Cramer, F. H., and Diez, M. Del C. R., Katalog der Fossilen Dinoflagellaten, Hystrichospharen und Ver Wandten Mikrofossilien, Band 2, Dinoflagellaten, by A. Eisenack and G. Kjellstrom (review) 5 1099
31. Dalquest, W. W., The Mexican camel names, *Palauchenia mexicana* Del Castillo and *Palauchenia magna* Owen (paleontological note) 1 196
32. Dawson, M. R., Entoptychine Pocket Gophers (Mammalia, Geomyoidea) of the Early Miocene John Day Formation, Oregon, by John M. Rensberger (review) . 4 863
33. Debrenne, F., and A. J. Rozanov, *Mennericyathus*, a new *Tomocyanthus*-like Archaeocyathid (paleontological note) 3 607
34. Delmet, D. A. and R. L. Anstey, Fourier analysis of morphological plasticity within an Ordovician bryozoan colony 2 217
35. DeWindt, J. T., Acanthodia scales from the Bloomsburg Formation (?Middle and Upper Silurian) of central Pennsylvania 3 594
36. Dieni, I., *Gabonita*, new name for *Gabonella* De Klasz, Marie & Meijer, 1960 *non* Uvarov, 1940 (paleontological note) 5 1096
Diez, M. D. C. R., see Cramer, F. H. (review) (30)
37. Dixon, O. A., Late Ordovician *Propora* (Coelenterata: Heliolithidae) from Anticosti Island, Quebec, Canada 3 568
38. Douglass, R. C., Fusulinids in the Basin and Range Province in California, Nevada, and Utah (paleontological note) 4 846
39. Douglass, R. C., Fusulinids in southeastern Alaska (paleontological note) 4 854
40. Douglass, R. C. and M. K. Nestell, The Permian Fusulinid genus *Pseudoreichelina* from the Pequop Formation, Spruce Mountains, Elko County, Nevada 6 1171
41. Downs, T., Presentation of the Paleontological Society Medal to George Gaylord Simpson (society records and activities) 3 617
42. Druce, E. C., F. H. T. Rhodes, and R. L. Austin, Recognition, evolution, and taxonomy of Lower Carboniferous conodont assemblages 2 387
43. Durham, J. W., Systematic position of *Eldonia ludwigi* Walcott 4 750
Durham, J. W., see Firby, J. B. (49)
44. Dutro, J. T., Jr., Pennsylvanian brachiopods and biostratigraphy in southern Sangre De Cristo Mountains, New Mexico, by Patrick K. Sutherland and Francis H. Harlow (review) 5 1097
45. Easton, W. H., Memorial to Orville L. Bandy (society records and activities) 2 422
Eberlein, G. D., see Tchudinova, I. I. (131)
46. Eicher, D. B. and L. C. Mosher, Triassic conodonts from Sinai and Palestine 4 727
47. Eldredge, N., Stability, diversity, and speciation in Paleozoic epeiric seas 3 541
Ethington, R. L., see Bergstrom, S. M. (11)
48. Feldmann, R. M., *Hoploparia riddlensis*, a new species of lobster (Decapoda: Nephropidae) from the Days Creek Formation (Hauterivian, Lower Cretaceous) of Oregon 3 587
49. Firby, J. B. and J. W. Durham, Molluscan radula from earliest Cambrian 6 1109
50. Fisher, D. W., Fossils for Amateurs—A Handbook for Collectors, by Russel P. MacFall and Jay C. Wollin (review) 5 1101
51. Forsten, A., The taxonomic status of the equid sample from the Harvard Fossil Reserve, Goshen County, Wyoming 2 404
52. Frankel, L., Observations and speculations on the habitat and habits of *Trochammina ochracea* (Williamson) in subsurface sediments 1 143
Fraunfelter, G. H., see Birkhead, P. K. (paleontological note) (13)
53. Fry, W. E. and E. P. Gustafson, Cervids from the Pliocene and Pleistocene of central Washington 2 375
54. Fürsich, F. T., On *Diplocraterion* Torell 1870, and the significance of morphological features in vertical spreiten-bearing, U-shaped trace fossils 5 952
55. Galton, P. M., Notes on *Thescelosaurus*, a conservative ornithopod dinosaur from the Upper Cretaceous of North America with comments on ornithopod classification 5 1048

56. GENTILE, R. J., The scaphopod *Dentalina* from the Pennsylvanian of eastern Kansas 6 1213
GERMS, A., see JACKSON, T. A. (paleontological note) (66)
57. GINGERICH, P. D., Size variability of the teeth in living mammals and the diagnosis of closely related sympatric fossil species 5 895
58. GLENISTER, B. F., North American Paleontological Convention II (announcement) 6 1324
GRIMMER, J. C., see KERN, J. P. (75)
GUSTAFSON, E. P., see FRY, W. E. (53)
59. HAAS, O., Recent literature on Mesozoic Ammonites—Part XVI 5 994
60. HANSMAN, R. H., Note on *Tunkia incerta* (paleontological note) 4 858
61. HARPER, J. A. and SHAAK, G. D., A new *Echinolampas* (Echinodermata: Echinoidea) from the Ocala Limestone of Florida 6 1166
62. HECHT, A. D., Intraspecific variation in recent populations of *Globigerinoides ruber* and *Globigerinoides trilobus* and their application to paleoenvironmental analysis 6 1217
63. HUBBARD, J. A. E. B., Barnes' technique amended for analyzing fabric and cavity development in coral reef communities 4 769
64. HUNT, R. M., JR., *Daphoenictis*, a cat-like carnivore (Mammalia, Amphicyonidae) from the Oligocene of North America 5 1031
65. ISAACSON, P. E., First South American occurrence of *Globithyris*: its ecological and age significance in the Malvinokaffric realm 4 778
66. JACKSON, T. A., A. GERMS, and M. MOORMAN, An improved method for the chemical maceration of sedimentary rocks (paleontological note) 4 844
67. JAIN, L. L., *Indocoelacanthus robustus* n. gen., n. sp. (Coelacanthidae, Lower Jurassic), the first fossil coelacanth from India 1 49
68. JAMES, N. P., Diagenesis of scleractinian corals in the subaerial vadose environment 4 785
69. JENNINGS, J. R., Lower Pennsylvanian plants of Illinois. I: A flora from the Pounds Sandstone Member of the Caseyville Formation 3 459
70. JOHNSON, J. G., Early Devonian brachiopod biofacies of western and Arctic North America 4 809
71. JOHNSON, J. G., *Oriskania* (terebratulid brachiopod) in the Lower Devonian of central Nevada 6 1207
72. JONES, B., A biometrical analysis of *Atrypella foxi* n. sp. from the Canadian Arctic 5 963
KAESLER, R. L., see KOEPNICK, R. B. (77)
73. KAPP, U. S., Mode of growth of Middle Chazyan (Ordovician) stromatoporoids, Vermont 6 1235
74. KERN, J. P. and E. R. WICANDER, Origin of a bathymetrically displaced marine invertebrate fauna in the upper part of the Capistrano Formation (Lower Pliocene), Southern California 3 495
75. KERN, J. P., J. C. GRIMMER and K. H. LISTER, A new fossil spionid tube, Pliocene and Pleistocene of California and Baja California 5 978
76. KIER, P. M., Evolutionary Trends and Their Functional Significance in the Post-Paleozoic Echinoids ..... Mem. 5 1
77. KOEPNICK, R. B. and R. L. KAESLER, Character correlations and morphologic variations of *Triticites cullomensis* (Fusulinacea) 1 36
78. KRANZ, P. M., Computer simulation of fossil assemblage formation under conditions of anastrophic burial 4 800
79. Kříž, J. and P. LUKES, Color patterns on Silurian *Platyceras* and Devonian *Merista* from the Barrandian area, Bohemia, Czechoslovakia 1 41
Kříž, J., see YOCHELSON, E. L. (164)
80. Kříž, J. and J. POJETA, JR., Barrande's colonies concept and a comparison of his stratigraphy with the modern stratigraphy of the Middle Bohemian Lower Paleozoic rocks (Barrandian) of Czechoslovakia 3 489
81. LABARBERA, M., Larval and post-larval development of five species of Miocene bivalves (Mollusca) 2 256
82. LANDING, E., Early and Middle Cambrian conodonts from the Taconic Sequence of eastern New York 6 1241
83. LANE, H. R., *Icriodus taimyricus* (Conodonta) from the Salmontrout Limestone (Lower Devonian), Alaska 4 721
LANE, H. R., see TOOMEY, D. F. (139)
LANGENHEIM, R. L., JR., see PIERCE, R. W. (103)
84. LENHART, S. W., An adjustable grinding apparatus for oriented sections of Fusulines (paleontological note) 6 1293
LEVINTON, J., see SUCHANEK, T. H. (129)
LISTER, K. H., see KERN, J. P. (75)
85. LOEBLICH, A. R., JR., Bibliography and Index of Micropaleontology, edited by Harold L. Cousminer and Julian Golden (review) 2 415

86. LOEBLICH, A. R., JR., Catalogue of Polycystine Radiolaria, Vol. 1, Parts 1 and 2, by Helen P. Foreman and William R. Riedel (review) 5 1098
87. LOEBLICH, A. R., JR., Coccolithen; Kalkiges Plankton seit Jahrmillionen, by Peter Reinhardt (review) 6 1296
LUKES, P., see KŘÍŽ, J. (79)
LUND, R., see BAUM, K. A. (paleontological note) (10) 1 199
88. LUNDIN, R. F., and L. E. PETERSEN, Ostracoda from the Rockhouse Formation (Devonian) of Western Tennessee 2 236
LUNDIN, R. F., see PETERSEN, L. E. (101)
89. MACURDA, D. B., JR., A quantitative phyletic study of the camerate crinoid families Actinocrinitidae and Periechocrinitidae and its taxonomic implications 4 820
90. MADSEN, J. H., JR., A new theropod dinosaur from the Upper Jurassic of Utah 1 27
91. MCDONALD, J. F., Can species commit suicide? 3 565
92. MOLNAR, R. E., A distinct theropod dinosaur from the Upper Cretaceous of Baja California (Mexico) 5 1009
93. MOORMAN, M., Microbiota of the Late Proterozoic Hector Formation, southwestern Alberta, Canada 3 524
MOORMAN, M., see JACKSON, T. A. (paleontological note) (66)
MOSHER, L. C., see EICHER, D. B. (46)
94. MOUNT, J. D., Type vertebrates from Lomita, California, in the Municipal Museum, Riverside, California (paleontological note) 1 198
95. MOUSSA, M. T., Tertiary brachiopods from Puerto Rico and their paleontologic and paleoecologic significance 6 1203
96. MUIR, M. D. and W. A. S. SARJEANT, Tasmanitid synonyms: *Tasmanites vanboekeli* Muir & Sarjeant, 1971, junior to *Tasmanites finki* Van Boekel, 1968 (Algae: Prasinophyceae) (taxonomic note) 1 201
97. MURPHY, J. L., R. P. Whitfield's nautiloid species from the Pottsville Group of Ohio 4 740
NASSICHUK, W. W., see STRIMPLE, H. L. (128)
NESTELL, M. K., see DOUGLASS, R. C. (40)
98. OSTROM, M. E., Cambrian of the New World, Volume I, Lower Paleozoic Rocks of the World, edited by C. H. Holland (review) 2 417
99. PARRIS, D. C., Additional records of plesiosaurs from the Cretaceous of New Jersey 1 32
100. PECK, R. E., On the systematic position of the umbellids (paleontological note) . 2 409
PETERSEN, L. E., see LUNDIN, R. F. (88)
101. PETERSEN, L. E. and R. F. LUNDIN, *Thlipsura martinssoni*: A new ostracode species from the Silurian of England 2 357
102. PETERSON, D. O., and D. L. CLARK, Trace fossils *Plagiogmus* and *Skolithos* in the Tintic Quartzite (Middle Cambrian) of Utah 4 766
103. PIERCE, R. W. and R. L. LANGENHEIM, JR., Platform conodonts of the Monte Cristo Group, Mississippian, Arrow Canyon Range, Clark County, Nevada 1 149
PLANE, M., see CLEMENS, W. A. (25)
104. POAG, C. W., Ostracod biostratigraphy and correlation of the Chickasawhay Stage (Oligocene) of Mississippi and Alabama 2 344
105. POHOWSKY, R. A., Notes on the study and nomenclature of boring bryozoa 3 557
POJETA, J., JR., see KŘÍŽ, J. (80)
POTTER, A. W., see ROHR, D. M. (paleontological note) (111)
RACKOFF, J. S., see THOMSON, K. S. (134)
106. RAUP, D. M., Response by David M. Raup (society records and activities) 3 622
RHODES, F. H. T., see DRUCE, E. C. (42)
107. RICH, M., Upper Mississippian (Carboniferous) calcareous algae from northeastern Alabama, South-central Tennessee, and northwestern Georgia 2 360
108. RICHARDS, R. P., Ecology of the Cornulitidae 3 515
109. RICHARDS, R. P., A Devonian *Immergentia* (Ectoprocta: Ctenostomata) from Ohio 5 941
110. ROELLIG, H. F., The cranial osteology of *Brychaetus muelleri* (Pisces Osteoglossidae) Eocene, Isle of Sheppey 5 947
111. ROHR, D. M., A. J. BOUCOT, and A. W. POTTER, Age corrections for some Silurian localities in northern California (paleontological note) 2 413
112. ROSS, C. A., Fusulinid and Paleozoic foraminiferal research group: regional biostratigraphic charts and notes (paleontological note) 4 845
ROZANOV, A. J., see DEBRENNE, F. (33)
113. RUNNEGAR, B., Evolutionary history of the bivalve subclass Anomalodesmata .. 5 904
SANDBERG, C. A., see SARTENAER, P. (115)
114. SANDERSON, G. A., A bibliography of the family Fusulinidae: Addendum 9 .... 4 833
SARJEANT, W. A. S., see MUIR, M. D., (taxonomic note) (96)
115. SARTENAER, P. and C. A. SANDBERG, New North American species of Upper Famennian rhynchonellid genus *Megalopterorhynchus* from Lost River Range, Idaho 4 756
116. SAUL, L. R., Described or figured west coast species of *Cymbophora* 5 1069

117. SCHOPF, J. M., Traité de Paléobotanique: Vol. 4, Fasc. 1, Filicophyta, edited by Edouard Boureau (review) 4 860
SCHOPF, J. W., see WICANDER, E. R. (158)
118. SCHOPF, T. J. M., Presentation of the Schuchert Award of the Paleontological Society to David M. Raup (society records and activities) 3 620
119. SCHRAM, J. M. and F. R. SCHRAM, *Squillites spinosus* Scott, 1938 (Syncardia, Malacostraca) from the Mississippian Heath Shale of Central Montana 1 95
SCHRAM, F. R., see SCHRAM, J. M. (119)
SHAAK, G. D., see HARPER, J. A. (61)
120. SIMPSON, G. G., Response by George Gaylord Simpson (society records and activities) 3 619
121. SIMPSON, L. C., *Acanthodes* and *Hybodus* in the Permian of Texas and Oklahoma (paleontological note) 6 1291
122. SMYTH, P., Fusulinids in the Appalachian Basin (paleontological note) 4 856
123. SORAUF, J. E., Growth lines on tabulae of *Favosites* (Silurian, Iowa) 3 553
124. SPRINKLE, J., New rhombiferan cystoids from the Middle Ordovician of Nevada 6 1174
125. SPRINKLE, J., The Phylogeny of the Fissiculate Blastoids by Albert Breimer and Donald B. Macurda, Jr. (review) 6 1295
126. STANLEY, S. M., A Primer of Population Biology, by Edward O. Wilson and William H. Bossert (review) 1 204
127. STEARN, C. W., Stromatoporoidea from the Middle and Upper Devonian of the Moravian Karst, by Vlasta Zukalova (review) 1 203
STEVENS, M. S., see WOODBURNE, M. O. (160)
128. STRIMPLE, H. L. and W. W. NASSICHUK, Pennsylvanian crinoids from Ellesmere Island, Arctic Canada 6 1149
129. SUCHANEK, T. H., and J. LEVINTON, Articulate brachiopod food 1 1
130. TAPPAN, H., Carpathian Upper Cretaceous Foraminiferida of Moravia, by Eva Hanzlikova (review) 2 420
TAYLOR, B. E., see WOODBURNE, M. O. (160)
131. TCHUDINOVA, I. I., M. M. CHURKIN, JR., and G. D. EBERLEIN, Devonian syringoporoid corals from southeastern Alaska 1 125
TEDFORD, R. H., see WOODBURNE, M. O. (160)
132. TEICHERT, C., Reviews Prepared for the First Symposium on Gondwana Stratigraphy: International Union Geol. Sci., Comm. for the Study of Geol. Documentation (review) 3 613
TEICHERT, C., see TEICHERT C. (132)
TEICHERT, C., see TEICHERT, C. (132)
133. THAYER, C. W., Substrate specificity of Devonian Epizoa 5 881
134. THOMSON, K. S., and J. S. RACKOFF, The shoulder girdle of the Permian rhipidistian fish, *Ectosteorhachis nitidus* Cope: structure and possible function 1 170
135. THURMOND, J. T., Polystyrene solutions as fossil hardeners: Save money and recycle too (paleontological note) 1 195
136. THUSU, B., and D. H. ZENGER, Middle Silurian Acritarchs in the upper type Clinton Group, east-central New York 4 840
137. TIHEN, J. A., Tertiary Frogs from central Europe, by Zdenek U. Spinar (review) 1 202
138. TOOMEY, D. F., The biota of the Pennsylvanian (Virgilian) Leavenworth Limestone, midcontinent region. Part 4. Distribution of agglutinated and silicified Foraminifera 2 326
139. TOOMEY, D. F., J. F. BAESEMANN, and H. R. LANE, The biota of the Pennsylvanian (Virgilian) Leavenworth Limestone, midcontinent region. Part 5: Distribution of miscellaneous microfossils 6 1157
140. TRIPP, R. P., New encrinurid trilobites from the Galena Formation (Ordovician) of Wisconsin and Iowa 3 485
141. TUCHUDINOVA, I. I., M. CHURKIN, JR., and G. D. EBERLEIN, Devonian syringoporoid corals from southeastern Alaska 1 125
142. UNDERWOOD, J. R., JR., and J. A. WILSON, Earliest known occurrence of land snail *Humboldtiana*: from tuff of Garren Group (Oligocene), Trans-Pecos Texas .. 3 596
143. UNKLESBAY, A. G., Tribute to Raymond E. Peck, retiring co-editor, JOURNAL OF PALEONTOLOGY (society records and activities) 4 867
144. UTGAARD, J., Rhabdomesid Bryozoans of the Wreford Megacyclothem (Wolfcampian, Permian) of Nebraska, Kansas, and Oklahoma, by Geoffrey Bruce Newton (review) 3 612
145. VALENTINE, J. W., Temporal bias in extinctions among taxonomic categories .. 3 549
VOTAW, R. B., see BERGSTROM, S. M. (11)
146. WAGNER, C. D., Fossil and Recent sand dollar echinoids of Alaska 1 105
147. WALMSLEY, V. G. and A. J. BOUCOT, Nomenclatural changes in "The Resserellinae—a new Subfamily of Late Ordovician to Early Devonian dalmanellid brachiopods" (taxonomic note) 3 609
148. WARME, J. E., The Biology of Estuarine Animals, by J. Green (review) 2 416
149. WARN, J. M., Presumed myzostomid infestation of an Ordovician crinoid 3 506
WATERS, J. A., see CHRISTOPHER, R. A. (22)

150. WATKINS, R., Carboniferous brachiopods from northern California 2 304
151. WATKINS, R., Molluscan paleobiology of the Miocene Wimer Formation, Del Norte County, California 6 1264
152. WEBSTER, G. D., Crinoid pluricolumnal noditaxis patterns 6 1283
153. WEEMS, R. E., Middle Miocene sea turtles (*Syllomus, Procolpochelys, Psephophorus*) from the Calvert Formation 2 278
154. WEST, R. M., New North American middle Eocene Nyctithere (Mammalia, Insectivora) 5 983
155. WESTPHAL, K. W., New fossils from the Middle Ordovician Platteville Formation of southwest Wisconsin 1 79
156. WESTPHAL, K. W., *Disconia* Westphal, 1974 is not a coral (palentological note) 5 1096
157. WHITMORE, F. C., JR., Collections of South African mammal-like reptiles in the United States: A correction (paleontological note) 3 607
158. WICANDER, E. R. and J. W. SCHOPF, Microorganisms from the Kalkberg Limestone (Lower Devonian) of New York State 1 74
WICANDER, E. R., see KERN, J. P. (74)
WIGLEY, P. B., see BERGSTROM, S. M. (11)
159. WILSON, E. C., Bibliographic index of North American Permian rugose and tabulate coral species 3 598
WILSON, J. A., see UNDERWOOD, J. R., JR. (142)
160. WOODBURNE, M. O., R. H. TEDFORD, M. S. STEVENS, and B. E. TAYLOR, Early Miocene mammalian faunas, Mojave Desert, California 1 6
161. WOODBURNE, M. O., Early Miocene mammalian faunas, Mojave Desert, California; bibliographic correction (paleontological note) 3 607
162. WRIGHT, R. P., Jurassic bivalves from Wyoming and South Dakota: A study of feeding relationships 3 425
163. YOCHELSON, E. L., Announcement by International Commission on Zoological nomenclature (announcement) 3 616
164. YOCHELSON, E. L. and J. KŘÍŽ, Platyceratid gastropods from the Oriskany Sandstone (Lower Devonian) near Cumberland, Maryland: Synonymies, preservation and color markings 3 474
ZENGER, D. H., see THUSU, B. (136)
165. ZINSMEISTER, W. J., A new interpretation of thermally anomalous Molluscan assemblages of the California Pleistocene 1 84

SUBJECT INDEX

Acanthodian scales: Silurian, Pennsylvania (35)
Acritarchs: Silurian, New York (136)
Adaptation: bivalve morphology (2)
Alabama: algae, Mississippian (107); Ostracoda, Oligocene (104)
Alaska: corals, Devonian (131); fusulinids (39); sand dollar echinoids, Tertiary and Recent (146)
Alberta: microbiota, Late Proterozoic (93)
Algae: Devonian, New York (158); Eocene, Wyoming (18); Mississippian, Alabama, Tennessee, Georgia (107); umbellids (100)
Ammonites: Mesozoic, recent literature (59)
Amphibia: labyrinthodont armor (14); labyrinthodont, lower Paleozoic, suture pattern evolution (15)
Appalachian Basin: fusulinids (122)
Appalachignathus delicatulus: new genus and new species, conodont (11)
Archaeocyathid: Lower Cambrian (33)
Atractyliopsis cumberlandensis: new species, algae (107)
Australia: conodonts, Silurian (28); marsupial mammals, Tertiary (25)
Baja California: polychaete tubes, Pliocene-Pleistocene (75); therapod dinosaur, Cretaceous (92)
Barrande: colony concept, Middle Bohemian, Czechoslovakia (80)
Barrandian: Czechoslovakia, colony concept (80)
Basin and Range Province: fusulinids (38)
Bathymetrically displaced: marine fauna, Pliocene, California (74)
Belodella anomalis: new species, conodont (28)
Biofacies: Devonian, brachiopod (70)
Biometrical analysis: Brachiopoda, Silurian (72)
Biometrics: gastropods, functional morphology (4)
Biostratigraphy: Paleozoic foraminifera charts (112)
Bivalvia: anastrophic burial, computer simulation (78); Anomalodesmata, evolutionary history (113); *Cymbophora*, described species, West Coast (116); Jurassic, Wyoming and South Dakota, feeding relationships (162); Miocene, larval development (81); pectinids, Neogene, north Pacific (1); Pliocene, California (2)

Bolivia: brachiopods, Devonian (65)
Boring: Bryozoa (105)
Brachiopoda: articulate feeding mode (129); biometrical analysis, Silurian, Canada (72); Carboniferous, California (150); color patterns (79); Devonian biofacies (70); Devonian, Bolivia (65); Devonian, Idaho (115); Devonian, Nevada (71); Late Paleozoic (21); Silurian, British Columbia (16); Silurian localities (111); Tertiary, Puerto Rico (95)
Bretzia pseudalces: new genus, new species, deer (53)
British Columbia: Brachiopoda, Silurian (16); holothurian, Cambrian (43)
Bryozoa: boring, nomenclature (105); Ctenostomata, Devonian, Ohio (108); Fourier analysis, colony morphology (34); Ordovician, diversity (5)
California: bivalves, Pliocene (2); Brachiopoda, Carboniferous (150); mammals, Miocene (160); molluscan assemblage, Pleistocene (165); molluscan paleobiology (151); molluscan radula, Cambrian (49); Pliocene, bathymetrically displaced marine fauna (74); Polychaeta tubes, Pliocene-Pleistocene (75); silicoflagellates, Miocene (29); vertebrates, California (94)
Cambrian: conodonts, New York (82); holothurian, British Columbia (43); trace fossils, Utah (102); *Tunkia incerta*, systematic position unknown (60)
Campitius titanius: new genus and new species, cephalopod? (49)
Carboniferous: brachiopods, California (150); conodonts (42)
Celsifornix rowleyi: new genus and new species name, brachiopod (21)
Clinton Group: acritarchs, Silurian (136)
Coelenterata: bibliography, North American Permian corals (159); *Propora*, Late Ordovician, Anticosti Island, Quebec (37)
Coelacanth: Jurassic, India (67)
Colony concept: Barrande, Middle Bohemian, Czechoslovakia (80)
Color patterns: gastropods and brachiopods, Czechoslovakia (79)
Color markings: platyceratid gastropods, Lower Devonian (164)
Communities: coral reef fabric analysis (63)
Conodonts: Cambrian, New York (82); Carboniferous (42); Devonian, Alaska (83); Middle Ordovician (11); Mississippian, Nevada (103); Permian, Nevada (23); Silurian, Australia (28); Triassic, Egypt and Palestine (46)
Coral reef: fabric development analysis (63)
Corals: Devonian, Alaska (131); Ordovician, diversity (5); Pleistocene, diagenesis (68)
Cornulitidae: ecology (108)
Cretaceous: Bivalvia, West Coast (116); ornithopod dinosaur, North America (55); plesiosaur, New Jersey (99); theropod dinosaur, Baja California (92)
Crinoidea: camerate, quantitative phyletic study (89); columnal patterns (152); Ordovician, myzostomid (annelid) infestation (149); Pennsylvania, Ellesmere Island (128)
Crustacea: Mississippian, Montana (119)
Cydonocrinus quinquilobus: new species, crinoid (128)
Cystoids: morphology, Ordovician (19); Ordovician, Nevada (124)
Czechoslovakia: Barrandian, colony concept, Barrande (80); brachiopods and gastropods, color patterns (79)
Daphoenictus: new genus, carnivore (64)
Decapoda: Lower Cretaceous, Oregon (48)
Deltacystis symmetricus: new genus and new species, cystoid (124)
Dentalium (*Paleodentalium*) *kansasense*: new subgenus and new species, scaphopod (56)
Devonian: brachiopod biofacies (70); brachiopods, Bolivia (65); brachiopods, color patterns (79); brachiopods, Idaho (115); conodont, Alaska (83); corals, Alaska (141); Ctenostomata, Bryozoa, Ohio (109); epizoan feeding adaptation (133); platyceratid gastropods, Maryland (164); micro-organisms, New York (158); ostracods, Tennessee (88); terebratulid brachiopods, Nevada (71); stromatoporoids, Illinois, Missouri (13)
Diagenesis: corals, Pleistocene (68)
Dinosaur: Jurassic, Utah (90); therapod, Cretaceous, Baja California (92); ornithopod, Cretaceous, North America (55)
Diplocraterion: trace fossil, morphology (54)
Disconia pentamerus: new genus and species, coral (155)
Diversity: corals and bryozoans, Ordovician (5); Paleozoic seas (47)
Ecology: Cornulitidae (108)
Echinodermata: *Disconia* Westphal, 1974, not a coral (156)
Echinoids: Eocene, Florida (61); evolutionary trends (76); Tertiary and Recent, Alaska (146)
Echinolampas tanypetalis: new species, echinoid (61)
Egypt: conodonts, Triassic (46)
Ellesmere Island: crinoids, Pennsylvanian (128)
Encrinuris spicatus: new species, Trilobita (140)
England: gastropod, Carboniferous (9); Ostracoda, Silurian (101)
Eocene: algae, Wyoming (18); echinoids, Florida (61); fish, cranial osteology (110); insectivore mammal, Wyoming (154)

Epeiric seas: Paleozoic, stability, diversity, speciation (47)
Epizoa: Devonian, substrate specificity (133)
Evolution: conodonts, Carboniferous (42); echinoid trends (76); history, bivalves, Anomalodesmata (113); suture patterns, labyrinthodont amphibians, lower Paleozoic (14)
Extinctions: temporal bias (145)
Feeding adaptation: epizoan, Devonian (133)
Fish: cranial osteology, Eocene (110); larval stages, Pennsylvanian, Illinois (7); Permian, Texas and Oklahoma (121); shoulder girdle, Permian (134)
Florida: echinoids, Eocene (61)
Food: articulate brachiopods (129)
Foraminifera: habitat in sediments (52); Paleozoic, regional biostratigraphic charts (112); Pennsylvanian, midcontinent (138); Recent, intraspecific variation (62)
Fossil assemblage: computer simulation (78)
Fossil hardeners: (135)
Fourier analysis: Ordovician, bryozoan colony (34)
Fourier series: shape description of pollen (22)
Functional morphology: echinoids, evolutionary trends (76); turritellid gastropods (2)
Fusulinidae: Alaska (38); Appalachian Basin (122); Basin and Range Province (38); bibliography (114); grinding apparatus (84); Permian, Nevada (40); *Triticites cullomensis*, morphology and variation (77)
Gabonita: new genus name for *Gabonella* De Klaz, Marie and Meiger 1960, Foraminifera (36)
Gastropoda: Carboniferous, England (9); color patterns (79); earliest land snail, Oligocene, Texas (142); functional morphology (4); Lower Devonian, platyceratid, Maryland, preservation and color markings (164)
Georgia: algae, Mississippian (107)
Grinding apparatus: fusulinids (84)
Growth mode: stromatoporoids, Ordovician, Vermont (73)
Habitat: Foraminifera in sediments (52)
Hadrocystis pauli: new genus and new species, cystoid (124)
Hertzina bokononi: new form-species, conodont (82)
Holothurian: Cambrian, British Columbia (43)
Hoploparia riddlensis: new species, lobster (48)
Idaho: brachiopods, Devonian (115)
Illinois: fish larval stages, Pennsylvanian (7); plants, Lower Pennsylvanian, Caseyville Formation (69); Middle Devonian, stromatoporoids (13)
India: coelacanth, Jurassic (67)
Indocoelacanthus robustus: new genus and species, coelacanth (67)
Intraspecific variation: Recent Foraminifera (62)
Iowa: growth lines, *Favosites*, Silurian (123); Trilobita, Ordovician (140)
Jurassic: bivalves, Wyoming and South Dakota, feeding relationships (162); Coelacanth, India (67); dinosaur, Utah (90)
Kansas: scaphopods, Pennsylvanian (56)
Koninckoporoides monteaglensis: new genus and new species, algae (107)
Labocania anomala: new genus and new species, theropod dinosaur (92)
Labyrinthodont: armor (14); evolution of suture patterns (15)
Larval development: Miocene bivalves (81)
London Clay: fish skulls, Eocene (110)
Lower Paleozoic: Barrandian, colony concept, Barrande (80)
Maceration: chemical, sedimentary rocks (66)
Malvinokaffric realm: brachiopods, Bolivia (65)
Mammalia: camels, Mexico (31); cat-like carnivore, Oligocene (64); cervids (deer), Pliocene, Pleistocene, Washington (53); equids, Wyoming (51); insectivore, Eocene, Wyoming (154); marsupials, Tertiary, Australia (25); Miocene, California (160); teeth size variability (57)
Marine fauna: bathymetrically displaced, Pliocene, California (74)
Maryland: gastropods, Lower Devonian (164)
Megalopterorhynchus baldwini: new species, Brachiopoda (115)
Mennericyathus new genus, archaeocyathid (33)
Meristorygma arctica: new genus and new species, Brachiopoda (21)
Mesozoic: ammonites, recent literature (59)
Mexico: camels (31)
Microorganisms: Devonian, New York (158)
Microbiota: Late Proterozoic, Alberta (93)
Microfossils: Leavenworth Limestone, Pennsylvanian (139)
Midcontinent: microfossils, Pennsylvanian, Leavenworth Limestone (139)
Miocene: bivalve larval development (81); mammals, California (160); molluscan paleobiology, California (151); sea turtles (153); silicoflagellates, California (29)
Mississippi: ostracods, Oligocene (104)
Mississippian: calcareous algae, Alabama, Tennessee, Georgia (107); conodonts, Nevada (103); crustaceans, Montana (119)

Missouri: Middle Devonian, stromatoporoids (13)
Modello Formation: silicoflagellates, Miocene (29)
Mollusca: Miocene, paleobiology, California (151); Pleistocene, California (165); radula, Cambrian (49)
Montana: crustaceans, Mississippian (119)
Morphology: fusulinids (77); pollen (22); trace fossils (54)
Myzostomid: infestation, crinoid, Ordovician (149)
Naticopsis (*Naticopsis*) *gracilis*: new species (9)
Nautiloids: Pennsylvanian, Ohio (97)
Neogene: pectinids, north Pacific (1)
Nevada: brachiopods, Devonian (71); conodonts, Mississippian (103); conodonts, Permian (23); fusulinids, Permian (40); cystoids, Ordovician (124)
New Jersey: plesiosaurs, Cretaceous (99)
New York: acritarchs, Silurian (136); conodonts, Cambrian (82); microorganisms, Devonian (158)
Noditaxis patterns: crinoids (152)
Nondia canadensis: new genus and new species, Brachiopoda (16)
North America: carnivore, Oligocene (64); coral and bryozoan diversity (5); ornithopod dinosaur, Cretaceous (55)
Numerical taxonomy: Nummulitidae (8)
Nummulitidae: numerical taxonomy (8)
Ohio: bryozoan, Devonian (109); nautiloids, Pennsylvanian (97)
Oklahoma: fish, Permian (121); labyrinthodont armor, Permian (14)
Oklahomacrinus ellesmerensis: new species, crinoid (128)
Oligocene: cat-like carnivore (64); earliest land snail, Texas (142); Ostracoda, Mississippi and Alabama (104)
Oregon: decapod, Lower Cretaceous (48)
Ordovician: bryozoan colony, factor analysis (34); Coelenterata, *Propora*, Anticosti Island, Quebec (37); corals and bryozoans, diversity (5); corals, cystoids, crinoids, Wisconsin (155); crinoid, myzostomid (annelid) infestation (149); cystoid morphology (19); cystoids, Nevada (124); multielement conodont (11); stromatoporoids, Vermont (73); Trilobita, Wisconsin, Iowa (140)
Ostracoda: Devonian, Tennessee (88); Oligocene, Mississippi and Alabama (104); Silurian, England (101)
Paleobiology: Miocene mollusca, California (151)
Paleoecology: conodonts, Permian (23)
Paleoenvironmental analysis: Foraminifera (62)
Paleoenvironmental indicators: silicoflagellates, Miocene, California (29)
Paleozoic: Foraminifera, regional biostratigraphic charts (112); late, Brachiopoda (21); lower, labyrinthodont, amphibians, suture pattern, evolution (15); Lower, trace fossils (3); seas, stability, diversity, speciation (47)
Palestine: conodonts, Triassic (46)
Parallelora: new genus, Brachiopoda (21)
Pennsylvania: acanthodian scales, Silurian (35)
Pennsylvanian: crinoids, Ellesmere Island (128); fish larval stages, Illinois (7); Foraminifera, midcontinent (138); Lower, plants, Illinois, Caseyville Formation (69); microfossils, Leavenworth Limestone (139); nautiloids, Ohio (97); Scaphopoda, Kansas (56); vertebrates, centra (10)
Pequop Formation: fusulinids, Permian (40)
Permian: conodonts, Nevada (23); fish shoulder girdle (134); fish, Texas and Oklahoma (121); fusulinids, Nevada (40); labyrinthodont armor (14)
Phyletic study: camerate crinoids (89)
Plants: Lower Pennsylvanian, Illinois, Caseyville Formation (69)
Pleistocene: cervids (deer), Washington (53); corals, diagenesis (68); molluscan assemblage, California (165); polychaete tubes, California (75); vertebrates, California (94)
Plesiosaurs: Cretaceous, New Jersey (99)
Plethoschisma grandis: new genus and new species, cystoid (124)
Pliocene: bivalves, California (2); cervids (deer), Washington (53); lower, bathymetrically displaced fauna, California (74); polychaete tubes, California (75)
Pollen: shape description, Fourier series (22)
Polychaeta: spionid tube, Pliocene-Pleistocene, California (75)
Pontifactor bestiola: new genus and new species, mammal (154)
Pottsville Group: nautiloids, Ohio (94)
Praepleurocystis nodosus: new species, cystoid (155)
Propora: Late Ordovician coelenterata, Anticosti Island, Quebec (37)
Proterozoic: microbiota, Alberta (92)
Pseudoreichelina nevadensis: new species, fusulinid (40)
Puerto Rico: Brachiopoda, Tertiary (95)
Radula: molluscan, Cambrian (49)
Recent: Foraminifera, intraspecific variation (62); sand dollar echinoids, Alaska (146)
Reptilia: Miocene sea turtles (153); plesiosaurs, Cretaceous, New Jersey (99)

Scaphopoda: Pennsylvanian, Kansas (56)
Sedimentary rocks: chemical maceration method (66)
Silicoflagellates: Miocene, California (29)
Silurian: acanthodian scales, Pennsylvania (35); acritarchs, New York (136); brachiopod localities (111); Brachiopoda, biometrical analysis (72); Brachiopoda, British Columbia (16); conodonts, Australia (28); *Favosites*, growth lines, Iowa (123); gastropods, color patterns (79); Ostracoda, England (101)
Skelidorygma: new genus, brachiopod (21)
South Dakota: bivalves, Jurassic, feeding relationships (162)
Speciation: Paleozoic seas (47)
Species, suicide (91)
Stokesosaurus clevelandi: new genus and species, theropod dinosaur (90)
Stromatoporoids: Ordovician, Vermont (73); Middle Devonian, Illinois, Missouri (13)
Suicide: of species (91)
Suture patterns: labyrinthodont amphibians, lower Paleozoic, evolution (15)
Teeth size: mammals, Recent and fossil (57)
Tennessee: algae, Mississippian (107); Devonian, ostracods (88)
Tertiary: brachiopods, Puerto Rico (95); marsupial mammals, Australia (25); sand dollar echinoids, Alaska (146)
Tetrapods: Lower Paleozoic, suture pattern, evolution (15)
Texas: earliest land snail, Oligocene (142); fish, Permian (121)
Thermal anomaly: molluscs, Pleistocene, California (165)
Thlipsura martinssoni: new species, ostracode (101)
Trace fossils: Cambrian, Utah (102); *Diplocraterion*, morphology (54); *Skolithos*, systematic review (3)
Triassic: conodonts, Egypt and Palestine (46)
Trilobita: Ordovician, Wisconsin, and Iowa (140)
Utah: theropod dinosaur, Jurassic (90); trace fossils, Cambrian (102)
Vermont: stromatoporoids, Ordovican (73)
Vertebrates: centra, Pennsylvanian (10); Pleistocene, California (94)
Virginia norfordi: new species, Brachiopoda (16)
Wakaleo oldfieldi: new genus and new species, marsupial mammal (25)
Wakaleo vanderleueri: new species, marsupial mammal (25)
Warsawia: new genus, Brachiopoda (21)
Washington: cervids (deer), Pliocene, Pleistocene (53)
West Coast: Bivalvia, described species of *Cymbophora* (116)
Wisconsin: corals, cystoids, crinoids, Ordovician (155); Trilobita, Ordovician (140)
Wyoming: algae, Eocene (18); bivalves, Jurassic, feeding relationships (162); equids (51); insectivore mammal, Eocene (154)
Zoogeography: pectinids, Neogene, north Pacific (1)